

DESIGN GUIDELINES Jet-Print Jet-Print Light

Artwork Specification

- File types: JPEG, TIFF, BMP, PSD or PNG
- Vector graphics: EPS, CDR, AI or PDF
- Design artwork should be set up at actual size at a 1:1 scale


Colour Selection


Please ensure colours in design conform to one of the following:

- Kleen-Tex Standard Colours
- RGB (1998) Colours
- Pantone Formula Guide (Coated/Uncoated)
- RAL Classic
- HKS

Minimum Text Size

Coloured letters







Sans-Serif Fonts

Scripts & Serif Fonts

White letters on a dark background





Sans-Serif Fonts

Scripts & Serif Fonts

Minimum Line Thickness

Light Backgrounds

All line thicknesses must be kept above a minimum of 5 mm or more.

Light Backgrounds

All line thicknesses must be kept above a minimum of 6 mm or more.

Colour Contrast

Blues & Grays

	629	630	631	632	654	665	666
613	good	good	poor	poor	good	good	good
	contrast						
614	poor	poor	good	good	poor	poor	poor
	contrast						
615	good	poor	poor	good	poor	good	poor
	contrast						
624	poor	poor	good	good	poor	poor	poor
	contrast						
637	good	poor	poor	good	poor	good	poor
	contrast						





Green & Grays

	629	630	631	632	654	665	666
617	good	poor	poor	poor	poor	good	good
	contrast	contrast	contrast	contrast	contrast	contrast	contrast
618	poor	good	good	good	good	poor	poor
	contrast	contrast	contrast	contrast	contrast	contrast	contrast
619	good	poor	poor	poor	poor	good	good
	contrast	contrast	contrast	contrast	contrast	contrast	contrast
620	good	poor	poor	good	poor	good	poor
	contrast	contrast	contrast	contrast	contrast	contrast	contrast
640	good	poor	poor	poor	poor	good	good
	contrast	contrast	contrast	contrast	contrast	contrast	contrast
621	good contrast	poor contrast	poor contrast	good contrast	poor	good contrast	poor contrast





Similar Colour Combinations, for example:

602	603		646	650	660	664
	poor contrast		poor contrast	poor contrast	poor contrast	
604	606	607	639	645	652	661
poor contrast	poor contrast	poor contrast	poor contrast	poor contrast	poor contrast	poor contrast
615	617	619	637	640	641	655
	poor contrast 604 poor contrast	poor contrast 604 606 poor contrast contrast	poor contrast contrast contrast 604 606 607 poor contrast contrast contrast	poor contrast contrast contrast contrast 604 606 607 639 poor contrast contrast contrast contrast	poor contrast	poor contrast


Please Note

620

• Thoroughly check contrasts with colour swatches before placing your order.

Points to Consider

Please Do...




Please Do Not Use...



Watermarked Stock Images


We will not be able to create designs from artwork with watermarked images. Failure to adhere will result in rejected artwork.



Complex Patterns



Weak Colour Combinations



Script or Condensed Fonts