

DESIGN GUIDELINESJet-Print Vision Jet-Print Vision Plus

Artwork Specification

- File types: JPEG, TIFF, BMP, PSD or PNG
- Vector graphics: EPS, CDR, AI or PDF
- Minimum resolution should be 76 dpi
- Design artwork should be set up at actual size at a 1:1 scale


Colour Selection

Please ensure colours in design conform to one of the following:

- Kleen-Tex Standard Colours
- RGB (1998) Colours
- Pantone Formula Guide (Coated/Uncoated)
- RAL Classic
- HKS

Minimum Text Size


Coloured letters



Sans-Serif Fonts

Scripts & Serif Fonts

White letters on a dark background



Sans-Serif Fonts

Scripts & Serif Fonts

Minimum Line Thickness

Light Backgrounds

All line thicknesses must be kept above a minimum of 5 mm or more.

Light Backgrounds

All line thicknesses must be kept above a minimum of 5 mm or more.

Colour Contrast

Blues & Grays

	629	630	631	632	654	665	666
613	good	good	poor	poor	good	good	good
	contrast						
614	poor	poor	good	good	poor	poor	poor
	contrast						
615	good	poor	poor	good	poor	good	poor
	contrast						
624	poor	poor	good	good	poor	poor	poor
	contrast						
637	good	poor	poor	good	poor	good	poor
	contrast						





Green & Grays

	629	630	631	632	654	665	666
617	good	poor	poor	poor	poor	good	good
	contrast	contrast	contrast	contrast	contrast	contrast	contrast
618	poor	good	good	good	good	poor	poor
	contrast	contrast	contrast	contrast	contrast	contrast	contrast
619	good	poor	poor	poor	poor	good	good
	contrast	contrast	contrast	contrast	contrast	contrast	contrast
620	good	poor	poor	good	poor	good	poor
	contrast	contrast	contrast	contrast	contrast	contrast	contrast
640	good	poor	poor	poor	poor	good	good
	contrast	contrast	contrast	contrast	contrast	contrast	contrast
621	good contrast	poor contrast	poor contrast	good contrast	poor	good contrast	poor contrast





Similar Colour Combinations, for example:


601 poor poor poor poor poor poor poor contrast contrast contrast	602	603	642	646	650	660	664
		poor contrast	poor contrast	poor contrast	poor contrast	poor contrast	poor contrast

	604	606	607	639	645	652	661
605	poor						
	contrast						

	615	617	619	637	640	641	655
620	poor contrast						

Points to Consider

Please Do...




Please Do Not Use...



Watermarked Stock Images


We will not be able to create designs from artwork with watermarked images. Failure to adhere will result in rejected artwork.



Complex Patterns



Weak Colour Combinations



Script or Condensed Fonts