

#### **Standard Entrance Mats** 10 Iron-Horse Iron-Horse XL 11 Super-Mat 2 12 Monotone 13 Kleen-Scrape 14 Water-Horse 15 Kleen-Trap 16 **Custom Printed Mats** Jet-Print Vision 20 Jet-Print Outdoor 21 Ad-Mat 24 Bar-Mat 25 Counter Mat 26 Desk Planner Mat 27 Keyboard Runner 28 Color Palettes & Fabric Bases 29 **Fitted Entrance Systems** 32 Kleen-Fit Concourse Tile Kleen-Fit Matrix Tile 33 **Anti-Fatigue Mats** Kleen-Comfort 36 Kleen-Comfort Safety 37 Kleen-Cushion 38 Kleen-Coil 39 Kleen-Thru Plus 40 Kleen-Scrape 41 Kleen-Foam 42 Kleen-Comfort Design 43 Kleen-Comfort Office 44 Kleen-Comfort Soft 45 **Workplace Safety Mats** Kleen-Cable Mat 48 Kleen-Cable Mat Rubber 49 Kleen-Wheel Forklift 50 Jet-Print Hi-Vis 51 Kleen-Sticky Mat 52 Kleen-Cooler Mat 53 **Wet Area Mats** Kleen-Tile 56 Kleen-Wave 57 **Specialty Mats** 60 Car Boot Protector - Premium

#### Key

#### **Application Area**



Suitable for outdoor use.



Suitable for high foot traffic areas.

#### Certifications



Compliant with fire protection

Anti-microbial properties as tested by AATCC TM 30, Part 111 test



Compliant with antistatic classification EN 14041



Conforms to current BS8300 DDA Regulations

#### **Product Benefits**



Product has properties that reduce it's impact on the environment



Guaranteed for specified number of years



Can be cut to custom shapes

Available with rounded corners

Colorfast and Lightfast properties

Highly absorbent surface



number of years



Can be recycled



Can be designed with custom artwork



Suitable for underfloor heating



Made in Europe

#### Cleaning and Washability



Limited washability.



Machine washable



Tumble dry on low, medium and high temperatures



Do not tumble dry



Lay flat to dry



Can be vacuum cleaned



High-pressure wash cleaning



Clean using steam or spray extraction methods



Can be cleaned with carpet cleaning machines

#### **Affiliates and Accreditations**

Kleen-Tex is a member of various laundry institutions and textile associations and is affiliated with multiple reputable promotional organisations.









61

62

63

64

65

66























Kleen-Cable Mat EV

Our Sustainability Commitment

Kleen-Shield

Slogan Mats

Our Production

Accessories



# Make more of your floor

For over 55 years, Kleen-Tex has been at the forefront of manufacturing floor mats and matting solutions for commercial applications, setting the industry standard for quality and performance.

Our unwavering commitment to exceptional customer service has earned us a global reputation as one of the premier manufacturers operating across five continents.

With our extensive knowledge in textiles and design, floor care, pedestrian safety, entrance systems, and specialist floor mat solutions, we possess unparalleled expertise that enables us to offer an extensive range of mats suitable for any application. These mats not only serve a functional purpose but can also be utilized to promote and create personalized messages for customers and employees, fostering a unique and engaging experience.

Our strong manufacturing presence, with three operational locations in Europe and one in Thailand, provides our customers with products through corporate and sales office in LaGrange, GA. With a legacy of excellence, Kleen-Tex continues to deliver innovative and durable matting solutions that surpass expectations, cementing our position as an industry leader.

# At Kleen-Tex, we promise:



Over 55 years of experience



Excellent customer service and delivery



Certification and accreditation from world class institutes



**European manufacturing** 



Continuous commitment to product innovation



Extensive bespoke design capabilities



Matting systems that deliver durability and longevity



Top quality launderable matting systems

# **Optimise Your Floors in 3 Simple Steps**

#### The Ultimate Entrance System for your Building

Did you know that on average, 80% of dirt gets into a building through its main entrance?

By strategically installing mats at key locations throughout your building, you can significantly reduce the transfer of dirt and moisture, and as a result, dramatically reduce your cleaning costs.

No one wipes their feet when entering a commercial building so the more footsteps that land on mats, the more dirt is stopped at the door.

Over the last 50 years, we have developed and advocated a three-mat system to successfully entrap dirt and moisture before it enters your building.



~40%

of your cleaning budget is spent on floor maintenance 4lb

of soiling is carried in to your building per 1000 people entering every week

**30** 

tons of dirt, soot, grit and grime enters London's buildings daily\* #1

cause of accidental slips and trips is tracked in dirt and moisture

94%

reduction in dirt and moisture ingress by using Dust Control Mats ≤90%

of soiling can be stopped with correctly sized and placed matting

Camraso Statistics

# The Intelligent Approach to Dirt Control



**Primary Mat:** Removes coarse grit, heavy soil and some initial moisture, reducing dirt ingress and cutting cleaning costs.



### **Secondary Mat:**


Absorbs some moisture and removes additional grit, protecting your staff and visitors.



#### **Tertiary Mat:**

Soaks up excess residue to ensure footwear is as clean and dry as possible before entering the main part of the building. TERTIAR


PRIMARY



# **Product Application**

# For Leisure and Hospitality

Mats are vital in the leisure and hospitality sector, serving various purposes from the classic entrance mats maintaining cleanliness and creating a positive first impression to specialist mats in various locations throughout the facility. Mats that provide comfort for employees standing for long periods, safety mats preventing accidents in areas like pools or fitness centers. Mats that maintain hygiene in food service areas. Functional mats that benefit your business, your staff and your guests.



# For Warehousing and Manufacturing

Standard Entrance Mats

Custom Printed Mats

Mats in the warehousing and manufacturing sector contribute to worker safety, comfort, and floor protection. They provide anti-fatigue support, prevent slips and falls, control static electricity, resist chemicals, and safeguard against heavy equipment and machinery. Using graphic mats we can also enforce safety messages where needed. All these mat types enhance productivity, reduce workplace injuries, and help maintain a clean and efficient working environment.



# Standard Entrance Mats

An opportunity to make a great first impression

Monotone • Navy • 115 x 175cm

# Make an Entrance

Kleen-Tex's indoor entrance mats are a high-quality and durable solution for keeping your indoor spaces clean and safe. These mats are designed to trap dirt, dust, and moisture from shoes, effectively reducing the amount of dirt and debris that is tracked into your building.

Made from top-grade materials, our indoor entrance mats are built to last and can withstand heavy foot traffic, making them ideal for use in high-traffic areas such as lobbies, hallways, and entrances.

With a wide range of colors, sizes, styles and materials to choose from, you're sure to find the perfect mat to suit your needs and complement your interior styling.

So, whether you're looking to improve the appearance of your building or keep it cleaner and safer, Kleen-Tex indoor entrance mats are a great solution.



# Standard Entrance Mat Ranges

#### Indoor

Functional mats designed to serve as a barrier between the outdoors and the indoors, preventing dirt, dust, and moisture from being tracked inside, keeping floors clean and free from slips and trips.

#### Outdoor

Our Outdoor range features durable and hardwearing products capable of withstanding the varying and harsh weather conditions outdoor use can bring.

#### Ecc

It's everybody's responsibility to do as much as possible to help save our planet and preserve the environment we live in for generations to come.

Our Eco range includes products made with sustainability in mind. These products will feature both a surface and backing material made from recycled content.

































#### Professional, washable dirt catching mat for commercial use

Durability and a high capacity for dirt capture make this mat the perfect choice for highly frequented areas such as entrances, corridors, lift doors and reception desks. A wide color choice will ensure a great match with your interiors.

Why Choose Iron-Horse?			Te	Technical Details			Specification			
» Our best selling professional entrance mat				Materials » 100% high-twist nylon			Height » Approx. 1/2"	<b>Weight</b> » 0.5 lbs/f²		
» High dirt and	moisture absor	ption		100% nitrile rubber bad			Standard	0.3	53/1	
» Fully servicea	ble product			<b>pplications</b> Entrances	» Corridors		Sizes » 2' x 3'	Widths	Lengths » Up to 23'	
» Slip-resistant	t rubber backing	3	» F	Receptions	» Elevators		» 3' x 4' » 3' x 5'	» 4' » 5'		
» Lightfast and	color fade resis	tant	_	ertifications EN 13501-1 / Cfl-s1	» NFSI High-Ti	raction	» 3' x 10' » 4' x 6'	» 6.5′		
» Suitable for u	nderfloor heati	ng	» E	EN 14041 Antistatic			» 5′ x 8′			
» 5 years Manu	facturers Guara	ntee*		<b>bsorption:</b> Dirt absorption:	800 g/m²					
» Made in Europ	ре		» l	Moisture absorption:	3-4 l/m²				Full Technical Data	
				XXX.						
									<b>300</b>	
		<b>经过度</b>	是的							
Anthracite	Brown Heather	Black Brown	Black Blue	Raven Black	Granite	Black Scarlet	Black Mink	Charcoal Heather		































#### More pile for increased dirt and moisture trapping performance

With a higher pile than the classic Iron-Horse, this mat has an increased ability to trap dirt and moisture, delivering superior performance in areas of heavy traffic.

#### **Technical Details** Specification Why Choose Iron-Horse XL? Height » Extra luxurious professional entrance mat Weight » 0.52 lbs/f<sup>2</sup> » 100% high-twist nylon polyamide 6 surface » Approx. 5/8" » 100% nitrile rubber backing » Superior dirt and moisture absorption Standard Applications Sizes Widths Lengths » Fully serviceable product » 2' x 3' » 3' x 4' » Entrances » Corridors » Up to 23' » 3' » Receptions » Elevators » 4' » Slip-resistant rubber backing » 3′ x 5′ » 5' Certifications » 3' x 10' » Light-fast and color fade resistant » EN 13501-1 / Cfl-s1 » NFSI High-Traction » 4' x 6' » EN 14041 Antistatic » 5' x 8' » Suitable for underfloor heating Absorption: » 5 years Manufacturers Guarantee\* » Dirt absorption: $1000\,\mathrm{g/m^2}$ » Moisture absorption: 4-5 l/m<sup>2</sup> » Made in Europe Full Technical Data









































#### Dual performance; scrape and wipe - a heavy duty mat to keep your buildings even cleaner

The ultimate choice for busy areas where dirt ingress is high. This dirt-catching mat has a unique double feature; heavy-duty monofilament fibres remove coarse dirt whilst the high-twist, fine, heat-set fibres, absorb and keep fine dust, dirt and moisture in the mat.

Why Choose Super-Mat?	Technical Details	Technical Details			Specification			
» Dual performance; scrape and wipe	Materials » 100 % regenerated Ec	Materials » 100 % regenerated Econyl® nylon surface			ght 53 lbs/f²			
» Made from Econyl® regenerated nylon	3	» 100% nitrile rubber backing			3 130, 1			
» Fully serviceable product	Applications » Entrances	» Corridors	Sizes » 2' × 3'	Widths » 3'	Lengths » Up to 23'			
» Slip-resistant rubber backing	» Receptions	» Elevators	» 3' x 4' » 3' x 5'	» 4' » 5'				
» Light-fast and color fade resistant	Certifications » EN 13501-1 / Cfl-s1	» NFSI High-Traction	» 3' x 10' » 4' x 6'					
» Suitable for underfloor heating	» EN 14041 Antistatic	J	» 5' x 8'					
» 5 years Manufacturers Guarantee*	Absorption: » Dirt absorption:	950 g/m²						
» Made in Europe	» Moisture absorption:	3-4 l/m²						
					Full Technical Data			































#### Professional functional mats in a pure vibrant color

 $Developed \ to \ stand \ up \ to \ the \ toughest \ demands \ in \ foot \ traffic \ whilst \ maintaining \ a \ bright \ and \ vibrant \ color. \ The \ surface \ texture \ removes \ dirt \ and \ vibrant \ color.$ moisture from passing shoes and retains it between the fibres.

Why Choose Monotone?	Technical Details	Specification	Specification			
» Contemporary color selection	Materials  » 100% high-twist nylon polyamide 6 surface  » 100% nitrile rubber backing	Height » Approx. 1/2"	<b>Weight</b> » 0.5 lbs/f²			
» High dirt and moisture absorption	(15% recycled rubber content)	Standard Sizes	Widths Lengths			
» Fully serviceable product	Applications » Fntrances » Corridors	» 2' x 3' » 3' x 4'	» 3' » Up to 23'			
» Slip-resistant rubber backing	» Receptions » Elevators	» 3' x 5' » 3' x 10'	» 5'			
» Lightfast and color fade resistant	Certifications » EN 13501-1 / Cfl-s1	» 4' x 6' » 5' x 8'				
» Suitable for underfloor heating	» NFSI High-Traction	» 5 X O				
» 5 years Manufacturers Guarantee*	<b>Absorption:</b> » Dirt absorption: 800 g/m²					
» Made in Europe	» Moisture absorption: 3-41/m²		Full Technical Data			
	MATERIAL DISCONSISSION (18 NOTO) FEET STORES	YOU DECIDED				




































 $An all purpose, hard-wearing \, rubber \, mat \, that 's \, oil, \, fat, \, chemical, \, solvent, \, heat \, and \, cold \, resistant, \, and \, can \, be \, used \, anywhere \, that \, needs \, a \, strong \, scraper \, and \, cold \, resistant, \, and \, can \, be \, used \, anywhere \, that \, needs \, a \, strong \, scraper \, and \, cold \, resistant, \, and \, can \, be \, used \, anywhere \, that \, needs \, a \, strong \, scraper \, and \, cold \, resistant, \, and \, can \, be \, used \, anywhere \, that \, needs \, a \, strong \, scraper \, and \, cold \, resistant, \, and \, cold \, r$ profile whilst having a castellated pattern that offers anti-fatigue properties.

Why Choose Kleen-Scrape?	Technical Details	Specification	Specification		
» 100% nitrile rubber mat	Materials » 100% nitrile rubber	Height » Approx. 1/4"	<b>Weight</b> » 0.86 lbs/f²		
» Suitable for use indoors or outdoors	(15% recycled rubber content)	Standard Sizes			
» Slip resistant rubber even when wet	Applications » Entrances	» 2.5' x 3' » 3' x 5'			
» Oil and chemical resistant	<ul><li>» Production Lines</li><li>» Prolonged standing work positions</li></ul>	» 4' x 6'			
» Anti-fatigue properties	» Workstations				
» 5 years Manufacturers Guarantee*	Certifications » FN 13501-1 / Ff1-s1				
» Made in Europe	» EN 14041 Antistatic  » NFSI High-Traction				
			Full Technical Data		





























#### Amazing water retention capacity from this high-profile rubber edged mat

This mat comes with a containment border capable of holding up to 4.5 litres of water per square metre. With a water dam rubber border to aid water retention, the Water-Horse is designed to remove dirt, grit and water from footwear and guarantees slip resistance.

#### Specification **Technical Details** Why Choose Water-Horse? Height » Enormous water retention capacity Materials Weight » 50% polyester and 50% polypropylene » Approx. 1/4" » 0.62 lbs/f<sup>2</sup> surface (50% recycled content) » Extremely durable polypropylene surface » Embossed nitrile rubber core and backing Standard Sizes (15% recycled rubber content) » 2' x 3' » Embossed waffle design » 3′ × 4′ **Applications** » 3′ x 5′ » Made with recycled materials » 4' x 6' » Entrances » Suitable for Outdoor Use » 4′ x 8 » Slip-resistant rubber backing Certifications » High profile rubber edge aiding water retention » EN 13501-1 / Efl-s1 » NFSI High-Traction » 5 years Manufacturers Guarantee Absorption: 1000 g/m² » Dirt absorption: » Made in Europe » Moisture absorption: 4-5 l/m<sup>2</sup> Full Technical Data





Brown





























#### The perfect solution for high-traffic entrances

Featuring a containment border capable of holding excessive moisture, Kleen-Trap is a great choice for busy entrances where strong dirt-catching performance is also a requirement.

Why Choose Kleen-Trap?	Technical Details	Specification
» Containment border to hold excessive water  » Extraordinary dirt-catching performance	Materials » 100% high-twist nylon polyamide 6 surface » 100% nitrile rubber	Standard Sizes  "" 3' x 5' "" 3' x 8' "" 3' x 10'
» Skid-resistant backing	Applications » Busy entrances	" 3 × 10" » 4' × 6' » 4' × 10'
<ul><li>» Lightfast and color fade resistant</li><li>» Suitable for underfloor heating</li></ul>	Certifications » NFSI High-Traction	
» PVC-Free		
» 5 years Manufacturers Guarantee*		
» Made in Europe		Full Technical Data

Black Scarlet

Charcoal Heathe

Raven Black

# **Customer Testimonials Highly Recommended** "FC United of Manchester are delighted with the mats supplied by Kleen-Tex. The mats are very bright and visual and have created a warm and welcoming environment as soon as you step inside Broadhurst Park Stadium. We have received lots of feedback from our supporters and visitors coming to the stadium to ask if we can create smaller replica mats, we can sell in our club shop! We would like to thank Kleen-Tex for supplying these stunning mats and would highly recommend to other businesses and venues." F. Fielding Commercial Manager, FC United of Manchester

# **Excellent Statement**

"The Jet Print logo mats produced by Kleen-Tex are of the highest quality. The mats are durable, effective, and hardwearing, whilst the graphics are sharp and vibrant, making an excellent statement for any business' public image."

#### J. Pritchard

Ginger Mats Limited




# **Highest Standard**

"We have been working with Kleen-Tex for nearly 20 years and always found the quality of mats to be of the highest standard, matched only by their ever efficient service level".

# **L. Brownless**Absolute Hygiene Sol





# Make a Statement

With Kleen-Tex's custom printed mats, you have the opportunity to transform empty spaces into a dynamic and effective marketing tool. Not only do our products offer effective protection against dirt, dust, and moisture, but they also serve as a powerful platform for conveying important messages to your customers, harnessing untapped potential.

When someone enters a room or building, their eyes instinctively look down to assess the safety of their surroundings. This means that with a custom printed

mat, you can reach up to 99% of people who enter your premises with a memorable and impactful message. Whether it's promoting your brand, showcasing special offers, or warning of potential hazards, the possibilities are endless.

With Kleen-Tex's state-of-the-art printing technologies and exceptional color reproduction, you can be sure that your custom printed mat will be eye-catching, innovative and effective.



# **Custom Printed Ranges**

#### Indoor

Bold and vibrant mats that can be personalised with your unique artwork or message to add a touch of individuality to your entrance.

#### Outdoor

Tough and lasting floor coverings specifically designed to be located where the outdoor elements can degrade lower quality products.

#### **Work Surface**

For the highest quality printed image on a functional advertising mat, our Work Surface range offer pin-sharp clarity with no compromise.



































#### A velvet-like surface offers amazing printing results for your individual logo mat

Visually this mat is hard to beat, the Jet-Print Vision offers a fine surface texture that is ideal for bespoke printing such as logos and designs with fine or intricate detail.

## Why Choose Jet-Print Vision?

- » Excellent print clarity
- » Fully customisable with your own designs
- » Custom shapes available\*
- » Slip-resistant rubber backing
- » Pantone, HKS and RAL matching available\*
- » Light-fast and color fade resistant
- » Suitable for underfloor heating
- » 5 years Manufacturers Guarantee\*\*
- » Made in Europe

## **Technical Details**

- Materials » 100% straight-set nylon polyamide 6.6 surface
- » 100% nitrile rubber backing

#### Applications

- » Events
- » Advertisement
- » Point of Sale » Corporate Identity

#### Certifications

» EN 13501-1 / Cfl-s1

» See page 29 for Jet-Print palette details

#### **Specification**

Height » Approx.1/4"

» 2

» 3'

» 4′

» 5'

» 6.5′

» 2.5′

#### Standard Sizes

>>	2' x 3'	
>>	3' x 4'	

#### » 3' x 5' » 3′ × 10′

#### » 4' x 6' » 5′ x 8′

#### Weight »0.5 lbs/f<sup>2</sup>

#### Widths Lengths

» Up to 23'





























#### Position your logo, graphics or advertising message in the great outdoors

Practically everyone is familiar with the scratchy-fibre type of outdoor grass mats. Now they are no longer limited to green, as the innovative Jet-Print Outdoor allows you to step out into a world of full color.

#### Why Choose Jet-Print Outdoor?

- » Specifically developed for outdoor use
- » Fully customisable with your own designs
- » Coarse scraping action
- » Durable nylon grass effect surface
- » Pantone, HKS and RAL matching available  $\ensuremath{^{*}}$
- » Custom shapes available\*
- » Light-fast and color fade resistant
- » 2 years Manufacturers Guarantee
- » Made in Europe

#### **Technical Details**

#### Materials

- » 100% monofilament PA 6 surface
- » 100% nitrile rubber backing

#### Applications

- » Entrances
- » Advertisement
- » Events » Corporate Identity
- » Suitable for Outdoor Use

#### Certifications

» EN 13501-1 / Bfl-s1

» See page 29 for Jet-Print palette details

#### Specification

Height » Approx. 1/4" Weight » 3.6 kg/m<sup>2</sup>

Lengths

» Up to 23'

#### Standard

#### Widths

» 1.5'


» 3'

» 4′


» 5'

» 6.5'


































































## Display your advertising message with photo-realistic precision at the point of purchase $\,$

 $The \textit{Ad-Mat} is \textit{especially effective for increasing the level of attention or emotionally charging your message at the point of sale-perfect for promotions$ and events.

Why Choose Ad-Mat Premium?	Technical Details	Sizing		
» Floor level advertising	Materials » 100% knitted polyester surface	0.9 mm Rubber Backing Height Weight		
» Point of sale and event opportunities	» 100% kintled polyester surface » 100% nitrile rubber backing	» Approx. 1/16" » 0.25 lbs/f <sup>2</sup>		
» Photorealistic CMYK print clarity	Applications	1.35 mm Rubber Backing		
» Fully customisable with your own designs	<ul><li>» Events</li><li>» Point of Sale</li><li>» Advertisement</li><li>» Corporate Identity</li></ul>	Height Weight  » Approx. 1/8" » 0.36 lbs/f²		
» Custom shapes available*	Color	Standard Sizes		
» Machine washable up to 40°C	» Full color CMYK sublimation print	» 1.5' × 2'  » 1.5' × 2.5'  » 4' × 6'		
» Slip-resistant rubber backing		» 2' x 3'		
» 1 year Manufacturers Guarantee**		» 3' x 4'		
» Made in Europe		Full Technical Data		























#### Deliver your message in the right place at the right time

This professional bar runner mat has the highest picture definition available on a functional mat. With full CMYK photo-real printing quality, brands, logos and marketing messages are displayed in all their intended glory with no compromise on clarity.

#### Why Choose Bar-Mat Premium?

- » Bar top advertising
- » Protects bar top and absorbs spills
- » Photorealistic CMYK print clarity
- » Fully customisable with your own designs
- » Custom shapes available\*
- » Machine washable up to 40°C
- » Slip-resistant rubber backing
- » 1 year Manufacturers Guarantee\*\*
- » Made in Europe

#### **Technical Details**

#### Materials

- » 100% knitted polyester surface
- » 100% nitrile rubber backing

#### Applications

- » Events
- » Advertisement
- » Giveaways
- » Corporate Identity
- $\hbox{ ``Point of Sale }$ » Merchandising

#### Color

» Full color CMYK sublimation print

#### Sizing

#### 0.9 mm Rubber Backing

Weight Height

» Approx. 1/16" » 0.25 lbs/f2

# 1.35 mm Rubber Backing Weight

» 0.36 lbs/f<sup>2</sup> » Approx. 1/8"

#### Standard Sizes

- » 9" x 17" » 10" x 35"
- » 7" x 24"

#### **Custom Sizes**

» On request
























#### Capture attention at the point of sale

 $Our Counter \textit{Mat} \ is \textit{perfect} \ for \textit{capturing the attention of customers or patrons right at the point of payment or customer \textit{service desk}. \ With \textit{pin-sharp to the point of payment or customer service desk}. \ With \textit{pin-sharp to the point of payment or customer service desk}. \ With \textit{pin-sharp to the point of payment or customer service desk}. \ With \textit{pin-sharp to the payment or customer service desk}. \ With \textit{pin-sharp to the payment or customer service desk}. \ With \textit{pin-sharp to the payment or customer service desk}. \ With \textit{pin-sharp to the payment or customer service desk}. \ With \textit{pin-sharp to the payment or customer service desk}. \ With \textit{pin-sharp to the payment or customer service desk}. \ With \textit{pin-sharp to the payment or customer service desk}. \ With \textit{pin-sharp to the payment of the p$ printing capabilities, you can use this mat to upsell a product or make customers aware of other services you may offer.

Why Choose Counter Mat?	Technical Details	Sizing		
» Counter top advertising  » Point of purchase and upsell opportunities  » Photorealistic CMYK print clarity  » Fully customisable with your own designs  » Custom shapes available*  » Machine washable up to 40°C  » Slip-resistant rubber backing  » 1 year Manufacturers Guarantee**  » Made in Europe	Materials  » 100% knitted polyester surface » 100% nitrile rubber backing  Applications  » Events  » Advertisement  » Giveaways  Color  » Full color CMYK sublimation print	O.9 mm Rubber Backing Height		







## **Desk Planner Mat**

















#### Get creative with desktop space

Slip-resistant nitrile rubber backing will minimise keyboard slip and our stay flat, slimline construction gives a low, non-intrusive profile. Our Desk Planner Mats are a great way to reinforce your brand whilst effectively helping the user plan their week.

» Point of Sale

» Corporate Identity

#### Why Choose Desk Planner Mat?

- » Great promotional giveaway product
- » Smooth and stable surface for mouse control
- » Photorealistic CMYK print clarity
- » Fully customisable with your own designs
- » Custom shapes available\*
- » Machine washable up to 40°C
- » Slip-resistant rubber backing
- » 1 year Manufacturers Guarantee\*\*
- » Made in Europe

#### Technical Details

#### Materials

- » 100% knitted polyester surface
- » 100% nitrile rubber backing

#### Applications

- » Events » Advertisement
- » Giveaways

#### Color

» Full color CMYK sublimation print

#### Sizing

#### 0.9 mm Rubber Backing

Height Weight

 $> 0.25 \, lbs/f^2$ » Approx. 1/16"

#### 1.35 mm Rubber Backing Weight

Height

» Approx. 1/8"  $> 0.36 \, lbs/f^2$ 

#### Standard Sizes

» 9"×17" » 7"×24"


» 10" x 35"

» 16" x 24"

**Custom Sizes** 

» On request



















#### Bring your brand or product into focus

Featuring a clean, consistent surface for ease of use and a slip-resistant base for your mouse and keyboard. Our Keyboard Runners are a great way to improve a desktop setup for work or play.

Why Choose Keyboard Runner?	Technical Details	Sizing		
» Functional merchandise opportunities  » Smooth and stable surface for mouse control  » Photorealistic CMYK print clarity  » Fully customisable with your own designs  » Custom shapes available*  » Machine washable up to 40°C  » Slip-resistant rubber backing  » 1 year Manufacturers Guarantee**  » Made in Europe	Materials  » 100% knitted polyester surface  » 100% nitrile rubber backing  Applications  » Events » Point of Sale  » Advertisement » Corporate Identity  » Giveaways  Color  » Full color CMYK sublimation print	0.9 mm Rubber Backing Height Weight  » Approx. 1/16" » 0.25 lbs/f²  1.35 mm Rubber Backing Height Weight  » Approx. 1/8" » 0.36 lbs/f²  Standard Sizes  » 9" x 17" » 10" x 35"  » 7" x 24" » 16" x 24"  Custom Sizes  » On request		
		Full Technical Data		



## **Color Palettes**

Kleen-Tex's 66-color Jet-Print palette offers an extensive range of vibrant and eye-catching hues allowing for unparalleled customization and design possibilities. With an impressive selection of colors, ranging from subtle neutrals to bold and dynamic, we have every color needed to reflect your vision. Our advanced Jet-Print technology ensures exceptional color accuracy and sharpness, resulting in stunning floor coverings that are aesthetically pleasing whilst remaining durable and functional.


600	601	602	603	604	605	606	607	608	609
610	611	612	613	614	615	616	617	618	619
620	621	622	623	624	625	626	627	628	629
630	631	632	633	634	635	636	637	638	639
640	641	642	643	644	645	646	647	648	649
650	651	652	653	654	655	656	657	658	659
660	661	662	663	664	665	666			

## **Jet-Print Fabric Bases**

Our custom printed products range features a variety of surface finishes which will accept color slightly differently depending on the material. It's important to thoroughly check your colors before placing your order to ensure a strong contrast between different elements of your design. Additionally, if you're uncertain about how the colors will appear on the specific surface material, we advise that you check a physical sample. These can be ordered at any time from our Customer Service team.







## **Elevate Your Entrance**

Step into the world of premium entrance systems with Kleen-Tex. Our high-performance entrance systems are engineered to perfection and built to last, making them the ultimate solution for any high-traffic public entrance.

Whether it's tile systems or grid systems, we've got you covered with a variety of textures, colors, and solid rubber finishes to choose from. And the best part? All our systems can be customized to meet your specific needs and design requirements.

At Kleen-Tex, we're not just about creating durable and functional entrance systems, but also about making a positive impact on the environment. That's why we're dedicated to reducing plastic waste while helping professionals take their commercial projects to the next level of environmental efficiency.

So, whether you're looking to enhance the safety and durability of your public entrances or make a sustainable choice, look no further than Kleen-Tex.





























#### Easy to install, hard wearing tile system

Concourse is a primary matting system for use in commercial applications where the removal of foot borne contaminants at entrance ways is essential.The matting modules are supplied as solid moulded units in 18mm thickness.

### Why Choose Concourse Tile?

- » Slip resistant profile
- » Modular sizing without limits
- » 100% natural rubber
- » Quick and easy to install
- » Compatible with Matrix Tile
- » No minimum order quantity
- » 1 year Manufacturers Guarantee
- » Made in Britain

#### **Technical Details**

» Polymer enhanced heavy-duty SBR rubber

#### Applications

- » Shopping centres
- » Public buildings
- » Offices
- » Leisure facilties
- » Hospitals

#### Certifications

- » BS6307:1982 (2003)
- » BS4790:1987 (2014)
- » DOC-FF-1-70
- » TM144:2011

#### Sizing Height

» Standard Profile - 3/4"


#### Module Size

#### Module Weight





























#### Easy to install, hard wearing tile system

Matrix Tile is a primary matting system for use in commercial applications where the removal of foot borne contaminants at entrance ways is essential. The matting modules are supplied as solid units complete with nylon wiper pads and 2 thicknesses.

#### Why Choose Matrix Tile?

- » Ideal for recessed mat wells
- » Modular sizing without limits
- » 100% natural rubber base
- » Quick and easy to install
- » Compatible with Concourse Tile
- » No minimum order quantity
- » 1 year Manufacturers Guarantee
- » Made in Europe

#### **Technical Details**

#### Materials

- » Solution dyed nylon
- » Polymer enhanced heavy duty SBR rubber

» Leisure facilties

» DOC-FF-1-70

» TM144:2011

» Hospitals

#### Applications

- » Shopping centres
- » Public buildings
- » Offices

#### Certifications

- » BS6307:1982 (2003)
- » BS4790:1987 (2014)

## Sizing

- Height » Low Profile - 1/2"
- » Standard Profile 3/4"

#### Module Size


» 19.6" x 39"

#### Module Weight

- » Low Profile -1.8 lbs per module
- » Standard Profile 2.6 lbs per module







# Wave Goodbye To Tired Feet

A workforce that spends a lot of time on its feet is susceptible to back and joint damage, so it makes both common and economic sense to protect employees from the stresses and strains of standing up to work.

Specialized anti-fatigue mats not only provide cushioning for your feet and joints, but they can also help improve your overall posture and reduce the risk of workplace injuries.

In addition to the physical benefits, anti-fatigue matting can also improve workplace safety by reducing slip and fall accidents. With their non-slip surfaces, these mats provide a secure footing for employees, even in wet or slippery conditions

Investing in anti-fatigue matting is a smart choice for any employer looking to prioritise the health and safety of their workforce.



# **Anti-Fatigue Products**

#### Industrial

Mats designed to reduce discomfort and fatigue caused by prolonged standing in industrial settings. Made from durable materials, these mats are easier to keep clean in messy workplace environments.

#### Office

Mats designed to enhance comfort and combat fatigue in office settings. Made to boost productivity and employee well-being, making them valuable additions to any office.

# Did you know?

- 80% of individuals who work in a standing upright position suffer from problems with their legs and/or back, with 30% of absenteeism attributed to back pain.
- Using an anti-fatigue mat during 8 hour working days reduces tiredness and increases standing comfort by 50% in comparison to a hard floor.
- Use of an anti-fatigue mat can increase productivity in employees by up to 44%.

































#### The 100% rubber anti-fatigue mat for industrial areas

 $A \ durable \ rubber \ mat \ that \ provides \ excellent \ traction \ and \ fatigue \ relief for \ your \ muscles \ and \ joints \ at \ the \ same \ time. \ The \ cushioned \ inner \ construction$ promotes excellent anti-fatigue properties and its surface texture and low profile edges convey a better grip.

### Why Choose Kleen-Comfort?

- » Anti-fatigue mat for industrial areas
- » Impact absorbing foam core
- » Relief for muscles and joints
- » Cushioned for long standing comfort
- » Low profile edges to avoid trips
- » Suitable for indoor and outdoor use
- » 5 years Manufacturers Guarantee
- » Made in Europe

#### **Technical Details**

#### Materials

- » 100% nitrile rubber (15% recycled rubber content) » 100% nitrile foam centre

#### **Applications**

- » Prolonged standing work positions
- » Production lines
- » Service points » Workstations

#### Certifications

- » EN 13501-1 / Efl-s1
- » EN 14041 Antistatic

#### » NFSI High-Traction

#### **Specification**

#### Height

### » Approx. 5/8"

#### **Standard Sizes**

» 2′ × 3′ » 3′ × 5′

» 3' x 9'

Please note - 3' x 9' mat is not suitable for

Weight

» 1.5 lbs/f<sup>2</sup>

































# 

## Extra safety protection where it's needed most

With this same low-profile edges and generous foam cushioning as the standard version, Kleen-Comfort Safety has bright yellow borders to draw attention to, and increase awareness of, dangerous or hazardous areas in the industrial workplace.

## Why Choose Kleen-Comfort Safety?

- » Safety model with bright colored edging
- » Anti-fatigue mat for industrial areas
- » Impact absorbing foam core
- » Relief for muscles and joints
- » Cushioned for long standing comfort
- » Low profile edges to avoid trips
- » Suitable for indoor and outdoor use
- » 5 years Manufacturers Guarantee
- » Made in Europe

## **Technical Details**

#### Materials

- » 100% nitrile rubber (15% recycled rubber content)
- » 100% nitrile foam centre

## **Applications**

- $\ {\tt \textit{``Prolonged standing work positions'}}$
- » Production lines
- » Service points
- » Workstations

#### Certifications

- » EN 13501-1 / Efl-s1
- » EN 14041 Antistatic
- » NFSI High-Traction

## **Specification**

## Height

#### » Approx. 5/8"

## » 1.5 lbs/f<sup>2</sup>

Weight

#### Standard Sizes

- » 3′ x 5′
- » 3' x 9'

Please note - 3' x 9' mat is not suitable for































## Durable and practical as well as cushioning and protecting

 $The \ rubber foam \ construction \ of this \ anti-fatigue \ mat \ combines \ durability \ with \ practicality. \ It is suitable for indoor \ and \ outdoor \ use,$ in wet or dry conditions offering comfort and protection wherever workers stand.

Why Choose Kleen-Cushion?	Technical Details	Specification
» Anti-fatigue mat for industrial use	Materials » 100% nitrile rubber	Height Weight  » Approx. 3/8" » 1 lb/f²
» Relief for muscles and joints	Applications	Standard Sizes
» Cushioned for long standing comfort	» Prolonged standing work positions » Production lines	» 2' x 3' » 3' x 5'
» Castellated pattern for increased grip	» Workstations	» 4' x 6'
» Slip-resistant rubber backing	Certifications » EN 14041 Antistatic	
» Suitable for indoor and outdoor use		
» 2 years Manufacturers Guarantee		
» Made in Europe		Full Technical Data
		<b>□</b> \$555 <b>□</b>





























## Active comfort zones for targeted protection

 $This \ clever \ mat \ is \ constructed \ from \ 100\% \ nitrile \ rubber \ and \ is \ designed \ with \ active \ comfort \ zones \ on \ its \ surface \ to \ massage \ feet \ where \ they \ stand \ and \ is \ designed \ with \ active \ comfort \ zones \ on \ its \ surface \ to \ massage \ feet \ where \ they \ stand \ and \ is \ designed \ with \ active \ comfort \ zones \ on \ its \ surface \ to \ massage \ feet \ where \ they \ stand \ and \ is \ designed \ with \ active \ comfort \ zones \ on \ its \ surface \ to \ massage \ feet \ where \ they \ stand \ and \ is \ designed \ where \ they \ stand \ and \ is \ designed \ on \ its \ surface \ to \ massage \ feet \ where \ they \ stand \ and \ is \ designed \ on \ its \ surface \ to \ massage \ feet \ where \ they \ stand \ and \ is \ designed \ on \ its \ surface \ to \ massage \ feet \ where \ they \ stand \ and \ is \ designed \ on \ its \ surface \ to \ surface \ to \ surface \ they \ stand \ and \ surface \ they \ surface \ they \ surface \ they \ surface \ they \ surface \ surface \ they \ surface \ they \ surface \ they \ surface \ they \ surface \ surface \ they \ surface \ they \ surface \$ help protect against leg, foot and back fatigue. It also offers great protection from cold floors.

## Why Choose Kleen-Coil?

- » Active comfort zones
- » Anti-fatigue for industrial areas
- » Oil and chemical resistant
- » Relief for muscles and joints
- » Cushioned for long standing comfort
- » Slip-resistant rubber backing
- » Suitable for indoor and outdoor use
- » 5 years Manufacturers Guarantee
- » Made in Europe

#### **Technical Details**

## Materials

» 100% nitrile rubber

#### Applications

- » Prolonged standing work positions » Production lines
- » Workstations

#### Certifications

- » EN 13501-1 / Dfl-s1
- » EN 14041 Antistatic
- » NFSI High-Traction

## Specification

#### Height » Approx.3/8"

#### Standard Sizes

- » 2.5′ x 3′ » 3′ x 5′
- » 3' x 10'

» 4′ x 6′


## Full Technical Data

Weight

» 1 lb/f2









## Hygienic anti-bacterial protection, ideal for use in wet areas

With ribbed holes for drainage, this washable workspace mat is made from 100% nitrile rubber with built-in anti-bacterial properties that last for the life of the mat. This versatile mat helps to ease the fatigue in jobs where long periods of standing are required.

## Why Choose Kleen-Thru Plus?

- » Anti-bacterial hospitality matting
- » Certified anti-microbial protection
- » Ribbed surface for increased foot traction
- » Impact absorbing to avoid floor damage
- » Drainage holes to allow wet area usage
- » Slip-resistant rubber
- » Oil and chemical resistant
- » 5 years Manufacturers Guarantee\*
- » Made in Europe

#### **Technical Details**

#### Materials

» 100% nitrile rubber

## Applications

- » Prolonged standing work positions
- » Professional kitchens
- » Wet areas
- » Bars

#### Certifications

- » EN 13501-1 / Efl-s1
- » AATCC 30 / AATCC 100 » EN 14041 Antistatic

# Linking

**Specification** 

» Approx. 3/8"

Standard Sizes

Height

» 2′ × 3′ » 3′ × 5′



Weight

» 1 lb/f2

































## Active comfort zones for targeted protection

Suitable for indoor and outdoor use, this hard-wearing rubber mat is oil, fat, chemical, solvent, heat and cold resistant, and can be used anywhere with strong scraper profile.

## Why Choose Kleen-Scrape?

- » Anti-fatigue mat for industrial areas
- » 100% nitrile rubber mat
- » Oil and chemical resistant
- » Suitable for use indoors or outdoors
- » Slip-resistant rubber even when wet
- » 5 years Manufacturers Guarantee\*
- » Made in Europe

## **Technical Details**

#### Materials

» 100% nitrile rubber (15% recycled rubber content)

## Applications

- » Production lines
- » Workstations
- » Entrances

## Certifications

- » EN 13501-1 / Efl-s1
- » EN 14041 Antistatic » NFSI High-Traction

## Specification

#### Height » Approx. 1/4"

## Standard Sizes

- » 2.5′ x 3′ » 3′ x 5′
- » 4' x 6'

Full Technical Data







Weight » 1 lb/f2



















## ${\it Cushions and protects, reducing fatigue}$

 $This 100\% \, nitrile \, foam \, mat \, literally \, cushions \, employees \, who \, have \, to \, stand \, for \, long \, periods \, of \, time, \, helping \, to \, reduce \, fatigue \, and \, improve \, well-being.$ 

» Deep cushioning floor pads Materials » Anti-fatigue mat for industrial areas » Improves employee well being Prolonged standing work positions » Production lines » Production lines » Service points Weight » Approx.1/2" » 0.6 lbs/f² Standard Sizes » 18" x 28" » 28" x 54"	Why Choose Kleen-Foam?	Technical Details	Specification	
Applications  » Improves employee well being  » Prolonged standing work positions » Production lines  » 28" x 54"	, , ,			
» Production lines » 28" x 54"				
» Service points	» Improves employee well being	» Production lines		
» Improves productivity  » Workstations	» Improves productivity	<ul><li>» Service points</li><li>» Workstations</li></ul>		
» Impact resistance minimising breakages	» Impact resistance minimising breakages			
» 2 years Manufacturers Guarantee	» 2 years Manufacturers Guarantee			
» Made in Europe	» Made in Europe			
Full Technical D				Full Technical Data



























## Fully customised graphics on a cushioned anti-fatigue mat

A mat for use in places where people need to stand for an extended period of time. Kleen-Comfort Design has a relieving effect for muscles and joints due to it's cushioned foam rubber construction. It can be printed with your artwork making it great for company logos.

## Why Choose Kleen-Comfort Design?

- » Anti-fatigue mat with custom graphics
- » Impact absorbing foam core
- » Relief for muscles and joints
- » Cushioned for long standing comfort
- » Low profile edges to avoid trips
- » 5 years Manufacturers Guarantee\*
- » Made in Europe

#### **Technical Details**

#### Materials

- » Printed high-twist nylon surface
- » 100 % nitrile rubber with foam centre

#### **Applications**

- » Prolonged standing work positions
- » Corporate identity
- » Service points
- » Workstations

#### Certifications

» EN 13501-1 / Efl-s1 » NFSI High-Traction

» See page 29 for Jet-Print palette details

## **Specification**

## Height

» Approx. 3/4"

#### Weight » 1.2 lbs/f<sup>2</sup>

#### Standard Sizes

- » 22" x 30' » 3' x 5'
- » 3' x 9.3'

Please note - 85 x 285 cm mat is not suitable for laundering



























## Relief for your muscles and joints in the workplace

 $Kleen-Comfort\ Office\ is\ the\ ideal\ cushioned\ anti-fatigue\ workplace\ mat.\ Made\ with\ a\ polypropylene\ surface, it\ is\ extremely\ durable\ and\ perfect\ for\ long\ propylene\ surface\ propylene\ pro$ standing comfort at workstations and counters.

#### Why Choose Kleen-Comfort Office? **Technical Details Specification** » Anti-fatigue mat with durable surface Materials Height Weight » Approx. 3/4" » 1.2 lbs/f<sup>2</sup> » 50% polyester, 50% polypropylene surface » 100% nitrile foam centre » Impact absorbing foam core » 100% nitrile rubber backing Standard Sizes (15% recycled rubber content) » 22" x 30" » 3' x 5' » Made with recycled rubber content Applications » 3' x 9.3' » Relief for muscles and joints » Prolonged standing work positions » Service points » Cushioned for long standing comfort » Workstations » Low profile edges to avoid trips Certifications » EN 13501-1 / Efl-s1 » DOC-FF-1-70 » 5 years Manufacturers Guarantee » NFSI High-Traction » Made in Europe Full Technical Data























# OCCHIOLOGO WEARS CHARGE THE STATE OF THE STA

#### Soft nylon surface with cushioned rubber foam backing

provided by the 100% nitrile foam cushioning.

## Why Choose Kleen-Comfort Soft?

- » Anti-fatigue mat with soft surface
- » Impact absorbing foam core
- » Relief for muscles and joints
- » Cushioned for long standing comfort
- » Low profile edges to avoid trips
- » 5 years Manufacturers Guarantee\*
- » Made in Europe

## **Technical Details**

## Materials

- » 100% high-twist nylon polyamide 6 surface
- » 100% nitrile foam centre
- » 100% nitrile rubber backing

## **Applications**

- » Prolonged standing work positions
- » Service points
- » Workstations

#### Certifications

- » DOC-FF-1-70
- » NFSI High-Traction

## Specification

## Height

» Approx. 7/8"

## Weight

» 1.2 lbs/f<sup>2</sup>

#### Standard Sizes

- » 22" x 30' » 3' x 5'
- » 3′ x 9.3′

Please note -  $85 \times 285$  cm mat is not suitable for laundering





# ais Practical and protective products for all eventualities Kleen-Wheel Forklift • Mineral Grey • 200 x 400cm

# Create secure, hazard free working environments

Our high-performing Workplace Safety mats are meticulously engineered to enhance workplace safety across various industries and settings.

Crafted with high-quality materials and advanced technology, our Workplace Safety Mats offer unbeatable slip resistance and ergonomic support, reducing the risk of slips, trips, and falls. Whether in industrial, commercial or office environments, these mats provide a reliable defense against common workplace hazards.

Kleen-Tex recognizes the critical importance of safety in the workplace, and our range of safety mats comes in various styles and sizes to suit different needs and preferences.

Invest in Kleen-Tex's Workplace Safety Mats to create a secure and accident-free workplace, fostering employee well-being, productivity, and peace of mind. With these top-of-the-line safety mats, you can prioritize safety without compromising on quality and functionality.



# **Workplace Safety Products**

## Health


Supporting safe, healthy and productive working environments. Health Mats are designed to reduce the transmission of bacteria in places where cleanliness is imperative.

## Safety

Specialist safety mats enhance workplace safety throughout many industries. Range of solutions such as slip-resistance, fire-resistance, chemical-resistance, cable tidy etc.

## Safety Messaging

Clean and tidy, functional solutions for mandatory safety signage. Safety Signage Mats provide important information, as well as a safe and clean building solution.



























## Reduce accidents by containing loose cables and highlighting potential tripping hazard

Loose cables and wires in offices and production areas are a safety hazard. The Kleen-Cable Mat has been developed to help prevent such a hazard and reduce trips and falls. Easy to place over loose cables, the high visibility borders provide a visual warning for staff and visitors.

## Why Choose Kleen-Cable Mat?

- » Easily installable cable safety solution
- » Safely tidy loose wires and cables
- » Integrated channel to hold cables in place
- » High visibility warning borders
- » Slip-resistant rubber backing
- » Suitable for underfloor heating
- » 2 years Manufacturers Guarantee
- » Made in Europe

#### **Technical Details**

#### Materials

- » 100 % high-twist nylon polyamide 6.6
- » 100 % nitrile rubber backing

#### Applications

» Anywhere loose cables or wires present a possible trip hazards

## Certifications

- » EN 13501-1 / Dfl-s1
- » EN 14041 Antistatic

## **Specification**

#### Height » Approx. 1/2"

#### Standard Sizes

» 16" x 48'

## Weight

» Approx. 0.8 lbs/f²

































## Reduce accidents in outdoor, industrial and wet areas by containing loose cables

Loose cables and wires in offices and production places are a safety hazard. The Kleen-Cable Mat Rubber version of this safety product allows for use in conditions where oil, grease and chemicals are present and can be used in outdoor places.

## Why Choose Kleen-Cable Mat Rubber?

- » Go anywhere cable protection
- » Safely tidy loose wires and cables
- » Integrated channel to hold cables in place
- » High visibility warning borders
- » Made with recycled rubber content
- » Slip-resistant rubber backing
- » 2 years Manufacturers Guarantee
- » Made in Europe

#### **Technical Details**

#### Materials

» 100% nitrile rubber (15% recycled rubber content)

#### Applications

- » Anywhere loose cables or wires present a possible trip hazards
- » Suitable for Outdoor Use

## Certifications

» EN14041 Antistatic

## Specification

## Height

» Approx. 1/4"

#### Weight » 1.2 lbs/f²

## Standard Sizes

- » 16" x 48
- » 16" x 63" and 16" x 79" available to order































## Warehouse entrance mats for wheeled equipment

Heavy duty mat that removes water and dirt from wheels as they enter your building, keeping your loading bay floor clean and dry. Reduces the risk of employees slipping on a wet floor and lessens the ingress of dirt and moisture, saving on cleaning costs.

# Why Choose Kleen-Wheel Forklift?

- » Highly absorbant, durable surface
- » Removes dirt and moisture from wheels
- » Extra thick rubber backing for strength
- » Save money on repeat cleaning costs
- » Reduces the risks of slips and trips
- » Made with recycled rubber content
- » 2 years Manufacturers Guarantee
- » Made in Europe

#### **Technical Details**

#### Materials

» A combination of Micro Nylon and High-Twist Nylon (HTN) Polyamide 6 (Sustainable yarn made from 50 % post industrial waste)

» Loading bay

» 100 % nitrile rubber backing (15% recycled rubber content)

#### Applications

- » Dispatch area
- » Warehouse

#### Certifications

» EN 14041 Antistatic

## **Specification**

#### Height » Approx. 5/8"

## Standard

#### Widths » 3'

» 4'

» 5'

» 6'

## » 1 lb/f2

## Lengths

Weight

» Up to 23'































## Highlights potential hazards

A durable logo mat offering customised and highly visible safety messages or graphics to draw attention to any potential hazards and to remind people to take care.

» Workplaces

## Why Choose Jet-Print Hi-Vis?

- » Highly visible safety signage
- » High dirt and moisture absorption
- » Fully serviceable product
- » Fully customisable with your own designs
- » Slip-resistant rubber backing
- » Suitable for underfloor heating
- » 5 years Manufacturers Guarantee\*
- » Made in Europe

## **Technical Details**

## Materials

- » 100% nylon (HTN) polyamide 6.6 surface
- » 100% nitrile rubber

#### Applications

- » Public Buildings
- » Factories » Warehousing

## Certifications

- » EN 13501-1 / Cfl-s1
- » EN 14041 Antistatic
- » NFSI High-Traction

## **Specification**

Height

» Approx. 3/8"

Weight » 0.5 lbs/f<sup>2</sup>

Widths

» 2'

» 2.5'

» 6.5'

#### Standard

)	3' × 4'
)	3' x 5'
	7' ~ 10"

» 3' x 10 » 4' x 6'

» 3' » 4' » 4′ x 8′ » 5'

Lengths » Up to 23'

Full Technical Data



Hi-Vis Yellow





## Maximise the prevention of contamination with this anti-bacterial barrier matting

Designed for use in workplaces where hygiene is paramount, these clever sticky mats offer maximum removal of fine dust, dirt and other contaminants. Ideal for use in laboratories, hospitals, surgeries or clean operating areas.

#### Why Choose Kleen-Sticky Mat? **Technical Details** Specification » Minimise foot borne contamination Materials Height » 30 Sheets - .1/16" » Frame: 100% nitrile rubber » Facilitates cart and foot traffic (15% recycled rubber content) » 60 Sheets - 1.8" » Mat: 100% polyethylene » 30 or 60 layers of renewable protection Standard Sizes **Applications** Kleen-Sticky Mat Kleen-Sticky Frame » Anti-bacterial elements » Medical facilities » Clean rooms » 22" x 50" » 28" x 50" » 18" x 36" » Laboratories » 24" x 36" » 18" x 48" » 24" x 48" » Optional nitrile rubber containment frame » 40" × 50" Certifications » EN 13501-1 / Dfl-s1 » Easy relocation » 36" x 48" » EN 14041 Antistatic » Quick removal » Made in Europe Full Technical Data

























## No more spills and slips

A customised mat to fit around your water cooler and ensure that the area around the device stays dry and protects against potential spills and slip hazards.

# Why Choose Kleen-Cooler Mat?

- » Custom fit for water dispensers
- » Minimising potential slips from spilled water
- » Contemporary color selection
- » Durable and vibrant nylon surface
- » Made with recycled rubber content
- » Slip-resistant rubber backing
- » Suitable for underfloor heating
- » 2 years Manufacturers Guarantee
- » Made in Europe

## **Technical Details**

## Materials

- » 100% high-twist nylon polyamid 6.6 surface
- » 100% nitrile rubber (15% recycled rubber content)

**Applications** » Water dispensers

## Certifications

» EN 13501-1 / Cfl-s1

## Specification

Height » Approx. 1/2"

Weight » 0.5 lbs/f<sup>2</sup>

Standard Sizes

» 2′ x 3′







# Create secure, hazard free working environments

Wet area tiles are a high-quality flooring solution designed specifically for wet and moisture-prone areas such as locker rooms, swimming pools, and spa facilities.

Made from durable and slip-resistant materials that provide excellent traction, they're easy to clean and maintain, making them an ideal choice for high-traffic areas.

Our selection of tiles are available in a range of colors and styles, allowing you to create a customized look that matches your decor. A preformed interlocking system makes them quick and easy to install in any space, shape or size.

With their high performance and stylish appearance, Kleen-Tex's wet area tiles are an excellent choice for any space where moisture is a concern.

























## Interlocking area tiles designed for wet areas

The curved design of the lines and hollow construction promotes immediate drainage and allows water to pass directly through the tile. The soft surface of provides a comfortable, slip resistant, safe and dry cushioned surface for bare feet. Easy to install and keep clean.

# Why Choose Kleen-Tile?

- » Interlocking wet area tile
- » UV resistant material
- » Reduce wet area accidents
- » Soft touch traction for bare feet
- » Modular construction suitable for any area
- » Easy to install
- » 3 year or 3 million crossings guarantee
- » Made in Europe

## **Technical Details**

#### Materials

» UV-resistant, anti bacterially treated vinyl

#### Applications

- » Poolside » Locker rooms
- » Wet rooms » Shower rooms

#### Certifications

- » EN 13501-1 / Bfl-s1
- » EN ISO 11925-2 » EN ISO 9239-1
- » DIN 51097: A + B + C
- » DIN EN 13451/15288-1: 26°
- » ISO 16000-9: TVOC Class A+

## **Specification**

## Height

» Approx. 3/8"

## Weight » Approx. 1 lb/f²

Tile Size

» 12" × 12"

 $Interlocking\,modular\,link\,system\,allows$ for infinite size option

#### Pack Size

» 16 tiles per pack (=0.3 f²)





















Safety floor matting for locker rooms, poolside, saunas and shower rooms









# 

Designed specifically for wet areas (both indoors and outdoors), its interlocking structure makes it great for covering large spaces - and is 100% recyclable. Reduces slip and trip accidents by providing good traction for bare feet reducing the likelihood of serious injury.

» Wet rooms

## Why Choose Kleen-Wave?

- » Interlocking wet area tile
- » Made from recyclable material
- » Anti-microbial properties
- » Reduce wet area accidents
- » Soft touch traction for bare feet
- » Modular construction suitable for any area
- » Easy to install
- » 2 year or 2 million crossings guarantee
- » Made in Europe

## **Technical Details**

Materials » 100% recyclable PET plastic

## Applications

- » Poolside
- » Locker rooms » Shower rooms
- Certifications
- » DIN 51097: A + B + C
- » DIN EN 13451/15288-1: 30°
- » ISO 16000-9: TVOC Class A+

## Specification

Height » Approx. 3/8'

» Approx. 0.5 lbs/f²

Weight

#### Tile Size

» 23" x 39"

 $Interlocking\,modular\,link\,system\,allows$ for infinite size option







# Safety and Cleanliness

Our specialty mats are the perfect solution for anyone looking to enhance safety and maintain a clean environment in non-traditional areas. With their high-performance capabilities and stylish appearance, these mats offer a reliable defense against accidents caused by slips, trips, and falls.

Whether you're in an industrial, commercial, motor vehicle, or office environment, our mats provide the protection you need to maintain a well-kept space while ensuring the safety of both customers and employees.



# **Speciality Products**

## Car Mats

Mats are designed to protect vehicles and maintain cleanliness. They offer traction and act as a barrier against potential hazards, ensuring the safety and cleanliness of vehicles, making them essential for any car owner.

## Sanitary Mats

Keeps floors clean and sanitary while controlling odors in restroom environments. Mats hold unwanted moisture and inhibits the growth of bacteria and fungi responsible for creating smells and staining.

## Messaging Mats

Mats give patrons and staff directions and instructions while keeping them safe from conditions that may cause accidents or harm. Many mats to choose from for right message when needed.



















## Protection for you, your family and your vehicle

Unsecured cables can lead to accident or injury or lead to damage of the charging unit or even your vehicle. Kleen-Cable Mat EV is designed to contain loose Electric Vehicle cables flat to the ground and reduce the likelihood of a trip accident.

# Why Choose Kleen-Cable Mat EV?

- » Electric vehicle charging cable safety
- » Protects pedestrians from potential trip hazards
- » Integrated channel to hold cables in place
- » High visibility warning borders
- » Suitable for all weather conditions
- » Slip-resistant rubber
- » Made with recycled rubber content
- » 2 years Manufacturers Guarantee
- » Made in Europe

## Technical Details

## Materials

» 100% nitrile rubber (15% recycled rubber content)

#### Applications

- » EV charging points
- » Driveways
- » Garages » Forecourts

#### Certifications

» EN 14041 Antistatic

## Specification

## Height

Weight » Approx.1/4" » Approx. 1.2 lbs/f²

#### Standard Sizes

» 16" x 48'

» 16" x 24" and 16" x 79" available to order



























## A lush, PET fibre pile made from 100% recycled materials

Designed to absorb and trap dirt, mud, debris and many other contamination types, with an impervious rubber backing to prevent moisture from passing through to the boot lining, the Car Protector Set is a welcome addition to a busy car.

## Why Choose Kleen-Car?

- » Keeps boot lining clean and dry
- » Protects bumper from scuffs and scrapes
- » Superior dirt and moisture absorbency
- » Detachable bumper panel
- » Made with 100% recycled PET fibre pile
- » Machine washable up to 30°C
- » Fast drying surface
- » 5 years Manufacturers Guarantee

## Technical Details

#### Materials

- » 100 % recycled PET material
- » 100 % nitrile rubber (15% recycled rubber content)

## Applications


- » Car Trunks » SUVs

#### Certifications

- » EN 13501-1 Certified » NFSI High-Traction

## Specification





## Height

» Approx. 1/2"





















## Containment solution and odor reducer

An affordable solution to prevent slips in areas prone to frequent liquid spills, such as water fountains, coffee machines, sinks, urinals, hand dryers, and workstations. Anti-microbial properties reduce odor causing bacteria, keeping areas fresh.

» Commodes

» Coffee machines

» Laundry rooms

» Urinals

# Why Choose Kleen-Shield?

- » Anti-microbial protection
- » Minimising potential slips
- » Skid-resistant backing
- » Moisture containment
- » Customizable with your logo
- » EPA registered technology
- » Can be cut to any size or shape, ideal for pedestals

## **Technical Details**

#### Materials

- » Recycled PET polyester surface » Latex foam backing

## Applications

- » Sinks
- » Hand Dryers
- » Water fountains
- » Work stations

## Certifications

» EPA registered

## Specification

## Standard Sizes

- » Matting Small 19" x 21"
- » Matting Large 30" x 36"
- » Matting Roll 30" x 50"
- » Commode Mat 23" x 22"
- » Commode Mat Custom 23" x 22"

































## Draw attention to important messages in prominent places

Ensure the visibility of critical signage like fire exits, alarm points, and sanitizing messages in a bustling business setting. These mats also control dust and moisture, enhancing your premise's safety and cleanliness. Preserve essential signage and improve your workspace's hygiene and safety.

## Why Choose Slogan Mats?

- » Raise awareness in prominent places
- » Durable nylon surface
- » High dirt and moisture absorption
- » Fully serviceable product
- » Slip-resistant rubber backing
- » Suitable for underfloor heating
- » 5 years Manufacturers Guarantee\*
- » Made in Europe

## **Technical Details**

#### Materials

» 100% high-twist nylon polyamide 6.6 surface

» Exits

» First aid stations

» NFSI High-Traction

» 100% nitrile rubber backing

## Applications

- » Entrances
- » Fire escapes
- » Clean room entrances
- Certifications

## » EN 13501-1 / Cfl-s1

- » EN 14041 Antistatic

» See page 29 for Jet-Print palette details

## Specification

## Height

» Approx. 3/8"

## Standard Sizes

- » 3′ x 4′
- » 3′ x 5′ » 3′ x 10′
- » 4' x 6'

Full Technical Data

Weight

» 0.5 lbs/f2







## Our Commitment to Sustainable Manufacturing

We acknowledge our duty to continuously enhance the sustainability of our products and operations as a leading global producer of floor matting systems. We recognize the importance of consistently improving the environmental impact of our offerings and the way we conduct our business.

# **Procuring Recycled Materials**

As we actively seek recycled materials to incorporate into our products, we are diligently working to find ways to responsibly dispose of our products when they reach the end of their life. This commitment to sustainability applies to all of our home and commercial brands under the Kleen-Tex umbrella.

For example, our solid rubber mats can be recrumbed for use in new products to reduce the consumption and processing of new raw materials.

We are also continuously exploring how we can extend our dedicated range of floor matting systems that are manufactured from recycled materials, including 100% **ECONYL®** regenerated nylon made from post manufacture and post consumer waste.

Our EcoAbsorb product is manufactured from **Renycle<sup>TM</sup> 50** recycled yarn, which, compared to standard yarn, saves energy, reduces CO<sub>2</sub> emissions, reduces water consumption and reduces waste material during production.

Our EcoAbsorb floor matting system also dries 37% faster than a cotton mat, saving valuable energy, time and money during laundry cycles.

In some products we utilise fabric constructed from 100% recycled PET plastic bottles and nitrile rubber with 15% recycled content.





# Reducing Our Carbon Footprint

As part of our commitment to reducing our carbon footprint, we are also implementing a range of initiatives.

From a logistical standpoint, we are actively consolidating our deliveries to ensure that full truckloads are sent, eliminating any empty shipping space. Additionally, we have decreased the frequency of staff travel and instead increased the utilization of conference call technology and remote work with virtual offices.

We are striving to minimize waste throughout our global operations by recycling whenever possible and sourcing from suppliers within the same region.



# Adopting efficient processes

ISO 14001:2015 is implemented throughout all aspects of our operations and we are continuously identifying how we can increase our operational efficiencies across all aspects of our business.

This includes a reduction in packaging and pallet use, the introduction of recyclable packaging and increasing our use of renewable energy throughout our supply chain.

We aim to recycle 100% of post manufactured waste by 2025 globally and are currently achieving 88% of our target.



# **Versatile Production Capabilities**

Quality, service and flexibility are our watchwords and we take enormous pride in our ability to deliver even the most complex bespoke order quickly, efficiently and on time.

Our entire production process, from tufting to bonding, takes place at our manufacturing location in Poland, which means that we have full control over production schedules and can offer fast and accurate delivery timescales to suit all requests.

We have direct links between all our customer sales teams and our production site, allowing for excellent communication and accurate delivery timescales.











## **Accessories**

## Samples, Embossing and Labelling

# **Product Samples**

We've gone to great lengths to ensure the colors illustrated in this brochure are as true as possible, however, due to the nature of the printing process, some color variations may naturally occur. We strongly advise you to ask for our color samples prior to finalizing an order, This provides you the option to select from original colors and see the structure of our pile.



# Labels and Embossing

Kleen-Tex offers a labelling and embossing service for all rubberbacked mats, enabling you to personalise your mats with your company details and messages.


Production of your individual labels or embossing plates takes up to three weeks from design approval.

Minimum order quantity for mats with labels is 250.



**Border Labels**For your website or logo on the front

side of the mat.



White Back Labels
White stripe on the back of the mat.
You can mark them with a water-proof
felt pen, to mark inventory numbers or
internal information etc.



#### **Back Labels**

For your company logo, washing instructions, mat descriptions etc. on the back of the mat.




## **Embossing**

Embossing the back, for example for your company logo etc.

## **Velcro**

The primary purpose of velcro is to secure mats in place. To achieve this, one part of the velcro (the hook) is attached to the floor where the mat will be placed, and the other part (the loop) is integrated into the mat's backing. By connecting the two parts, the mat becomes fixed to the floor. This solution is particularly useful in areas where there is high foot traffic and frequent passage of shopping carts over the mat. Available in 4" x 4" squares.



# **Data Chips**

The option to incorporate data chips is available for storing specific information about a mat.

During the manufacturing process, we will incorporate the data chips provided by the customer into the mat. To indicate the position of the data chips externally, an additional label can be placed on the mat backing above the chip location.

Data microchips are highly efficient and boast a remarkable durability. Our sales team will gladly provide further guidance and recommendations.





Kleen-Tex USA, LLC 210 Lukken Industrial Dr. E.

LaGrange, GA 30241 USA

www.kleen-tex.com T: +1 (404) 991-5511 info@kleen-tex.com Subscribe to our newsletter here:

Stay up to date with future inspiration, news and promotions from Kleen-Tex





