



Safety

## Kleen-Wheel Forklift Mat

Warehouse entrance mats for wheeled equipment



## Warehouse entrance mats for wheeled equipment

Heavy duty mat that removes water and dirt from wheels as they enter your building, keeping your loading bay floor clean and dry. Reduces the risk of employees slipping on a wet floor and lessens the ingress of dirt and moisture, saving on cleaning costs.

Why Choose Kleen-Wheel Forklift Mat?	Technical Details	Specification	
<ul style="list-style-type: none"> <li>» Highly absorbant, durable surface</li> <li>» Removes dirt and moisture from wheels</li> <li>» Extra thick rubber backing for strength</li> <li>» Save money on repeat cleaning costs</li> <li>» Reduces the risks of slips and trips</li> <li>» Made with recycled rubber content</li> <li>» 2 years Manufacturers Guarantee</li> <li>» Made in Europe</li> </ul>	<p><b>Materials</b></p> <ul style="list-style-type: none"> <li>» Combination of Micro Nylon and High-Twist Nylon (HTN) Polyamide 6 (Sustainable yarn made from 50% post industrial waste)</li> <li>» 100 % nitrile rubber backing (15% recycled rubber content)</li> </ul> <p><b>Applications</b></p> <ul style="list-style-type: none"> <li>» Dispatch area                      » Loading bay</li> <li>» Warehouse</li> </ul> <p><b>Certifications</b></p> <ul style="list-style-type: none"> <li>» EN 14041 Antistatic</li> </ul>	<p><b>Height</b></p> <ul style="list-style-type: none"> <li>» Approx. 16 mm</li> </ul> <p><b>Standard Widths</b></p> <ul style="list-style-type: none"> <li>» 85 cm</li> <li>» 115 cm</li> <li>» 150 cm</li> <li>» 200 cm</li> </ul>	<p><b>Weight</b></p> <ul style="list-style-type: none"> <li>» 5.02 kg/m<sup>2</sup></li> </ul> <p><b>Lengths</b></p> <ul style="list-style-type: none"> <li>» Up to 700 cm</li> </ul>



For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.

For more information, please contact our Customer Service Team:

**T:** +48 41 267 25 00

**E:** info@kleen-tex.pl

